


# NDI® MultiView Player

To enter Kiloview MultiView Setting page by clicking on it.




## Window layout setting



The screenshot shows the 'Settings' window in Kiloview. The 'main' tab is active, displaying window layout icons. A 'Customize' button is highlighted with a blue box and an arrow pointing to the 'Window layout setting' text. The 'Discovery' panel on the right lists various channels with their IP addresses and star icons.

Channel Name	IP Address	Action
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	★
KVJS-002 (Studio Monitor 1)	192.168.3.28:5961	★
KVJS-002 (vMix - Output 1)	192.168.3.28:5961	★
N1-%N (Chan 1)	192.168.4.219:5961	★
N3-20072610490 (Channel-1)	192.168.4.121:5962	★
N4-19162010064 (Channel-10001)	192.168.4.50:5961	★
N4-19162010084 (Channel-1)	192.168.4.54:5962	★
N4-20162020576 (Channel-1)	192.168.4.51:5961	★
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	★


Click "Add" to freely set your layout, PIP,1/2/3/4/5/6/7/8/9/16 windows.



The screenshot shows the Kiloview Settings window with a 'Layout' dialog box open. The dialog box contains four layout icons labeled 1, 3, 6, and 16. The 'Add Layouts' button is highlighted with a red box and a red arrow pointing to it from the text above. The background shows the main interface with a 'Discovery' panel on the right and a 'Border' panel at the bottom.

Channel Name	IP Address	Action
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	✕
KVJS-002 (Studio Monitor 1)	192.168.3.28:5961	✕
KVJS-002 (vMix - Output 1)	192.168.3.28:5961	✕
N1-%N (Chan 1)	192.168.4.219:5961	✕
N3-20072610490 (Channel-1)	192.168.4.121:5962	✕
N4-19162010064 (Channel-10001)	192.168.4.50:5961	✕
N4-19162010084 (Channel-1)	192.168.4.54:5962	✕
N4-20162020576 (Channel-1)	192.168.4.51:5961	✕
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	✕


Click the gear icon and a setting window will pop up. To change the layout by stretching with the mouse or configure the "width", "height", "horizontal", and "vertical". Modify the name in the top right.



The screenshot shows the Kiloview interface with the 'Settings' window open. The 'Add Layouts' dialog box is displayed, allowing users to configure a new layout. The dialog box includes a preview window with a '1' and sliders for Name, Width(%), Height(%), Horizontal(%), and Vertical(%). The 'Layout' dropdown is set to 'One Window'. The 'Reset' button is highlighted in red.

Layout	Name	Width(%)	Height(%)	Horizontal(%)	Vertical(%)
One Window		100	100	0	0


Click "X" on the top right corner to delete the layout.



The screenshot shows the Kiloview Settings interface. A 'Layout' dialog box is open, displaying four layout options: 1, 3, 6, and 16. A red 'X' icon is highlighted in the top right corner of the dialog box, indicating the delete function. The dialog box also contains 'Add Layouts', 'OK', and 'Cancel' buttons. The background shows the 'Discovery' panel with a list of channels and their IP addresses.

Channel Name	IP Address	Star Icon
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	★
KVJS-002 (Studio Monitor 1)	192.168.3.28:5961	★
KVJS-002 (vMix - Output 1)	192.168.3.28:5961	★
N1-%N (Chan 1)	192.168.4.219:5961	★
N3-20072610490 (Channel-1)	192.168.4.121:5962	★
N4-19162010064 (Channel-10001)	192.168.4.50:5961	★
N4-19162010084 (Channel-1)	192.168.4.54:5962	★
N4-20162020576 (Channel-1)	192.168.4.51:5961	★
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	★

All the layouts will be displayed.




The screenshot shows the Kiloview Settings window. In the top-left corner, there is a 'Settings' header with a gear icon and a 'main' link. Below this, a row of layout icons is displayed, with the first icon (a single square) highlighted by a red box. A red arrow points from the text 'All the layouts will be displayed.' to this red box. To the right of the layout icons, there are 'Customize' and 'Discovery' buttons. The 'Discovery' panel on the right side of the window contains a search bar and a list of video channels with their respective IP addresses and star icons.

Channel Name	IP Address	Action
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	☆
KVJS-002 (Studio Monitor 1)	192.168.3.28:5961	☆
KVJS-002 (vMix - Output 1)	192.168.3.28:5961	☆
N1-%N (Chan 1)	192.168.4.219:5961	☆
N3-20072610490 (Channel-1)	192.168.4.121:5962	☆
N4-19162010064 (Channel-10001)	192.168.4.50:5961	☆
N4-19162010084 (Channel-1)	192.168.4.54:5962	☆
N4-20162020576 (Channel-1)	192.168.4.51:5961	☆
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	☆


At the bottom of the window, there is a 'Border' button and a 'Default' button with a gear icon.

Auto discovery NDI® and NDI® |HX sources and refresh.







Click “+” icon to add a NDI source manually.



Drag the source you want to the preview window.



The screenshot displays the Kiloview MultiView software interface. The main window shows a soccer match in progress, with a player in a white jersey running on the field. A settings panel is overlaid on the right side of the main window. The settings panel has a title bar with a gear icon and the text "Settings". Below the title bar, there is a "main" tab and a "Customize" button. The main area of the settings panel shows a preview window titled "N40-20162410027 (Channel-1)" with a resolution of "1920x1080@60fps". A blue arrow points from the text "Drag the source you want to the preview window." to the preview window in the settings panel. On the right side of the settings panel, there is a "Discovery" section with a search bar and a list of sources. The list includes several sources with their IP addresses and a star icon. The source "N40-20162410027 (... ndr://192..." is highlighted in blue. At the bottom of the settings panel, there are icons for "Border" and "Default".




The screenshot shows the Kiloview Settings window. The main area displays a video channel configuration for "N40-20162410027 (Channel-1)" with a resolution of "1920x1080 @ 60fps". The right sidebar shows a "Discovery" list with the following entries:

Channel Name	IP Address	Action
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	Star icon
N1-%N (Chan 1)	192.168.4.219:5961	Star icon
N4-19162010064 (Channel-10001)	192.168.4.50:5962	Star icon
N4-19162010084 (Channel-1)	192.168.4.54:5962	Star icon
N4-20162020576 (Channel-1)	192.168.4.51:5962	Star icon
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	Star icon

At the bottom of the window, there is a "Border" section with a "Default" button and a gear icon. A blue box highlights the "Border" section, and an arrow points to the explanatory text below.

You can set your window name, enable/disable center cross, source name, frame, audio meters, frame overlay and color for the window. Choose PVW and PGM for each screen.

Display source name and resolutions.



The screenshot shows the Kiloview interface with several elements highlighted by blue boxes and arrows:

- Settings window:** A gear icon in the top left corner is highlighted. Below it, the text "main" is visible. A list of source names and resolutions is shown, with "N40-20162410027 (Channel-1)" and "1920x1080@60fps" highlighted by a blue box.
- Discovery window:** A "Discovery" panel on the right side of the interface is highlighted. It contains a table of discovered sources with columns for source name, IP address, and a star icon.
- Audio control:** A speaker icon in the bottom left corner is highlighted.
- Advanced settings:** A gear icon in the bottom right corner of the main video area is highlighted.

Source Name	IP Address	Star Icon
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962	☆
N1-%N (Chan 1)	192.168.4.219:5961	☆
N4-19162010064 (Channel-10001)	192.168.4.50:5962	☆
N4-19162010084 (Channel-1)	192.168.4.54:5962	☆
N4-20162020576 (Channel-1)	192.168.4.51:5962	☆
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...	☆

Access Webpage of your device directly.

Enable/disable audio, disabled by default.

By clicking on the gear icon to play by main stream and sub stream. Advanced settings to change the name, font and color, display name, audio meters, frame and center cross.


You can easily view up to 16 Channels HD/4K NDI® and NDI® |HX sources.



Multi-window display with unlimited NDI® and NDI® |HX sources. (Note: it is mainly related to your server performance)



Get and scan the QR code by clicking on it, you can enter the configuration page via your mobile phone/iPad. Now your phone/iPad is a remote control.



The image shows a desktop view of the Kiloview web interface on the left and a mobile phone displaying the same interface on the right. The desktop interface features a settings menu, a main display area with a QR code, and a discovery panel on the right. The QR code is labeled with the URL `http://192.168.1.85:65533/index.html?output=1`. The mobile phone displays the same interface, including a list of channels and their IP addresses.

Channel Name	IP Address
E1_NDI-161113057 (Chan 1)	192.168.4.42:5962
KVJS-002 (Studio Monitor 1)	192.168.3.28:5961
KVJS-002 (vMix - Output 1)	192.168.3.28:5961
N1-%N (Chan 1)	192.168.4.219:5961
N3-20072610490 (Channel-1)	192.168.4.121:5962
N4-19162010064 (Channel-10001)	192.168.4.50:5961
N4-19162010084 (Channel-1)	192.168.4.54:5961
N4-20162020576 (Channel-1)	192.168.4.51:5961
N40-20162410027 (Channel-1)	ndi://192.168.3.117:5...

Note: The mobile phone/iPad must be under the same network as the MultiView player.